

Bennett, John

From: Fout, Shay
Sent: Monday, January 04, 2016 9:13 AM
To: Fout, Shay
Subject: Fw: Water Cluster Project Update

----- Forwarded by Shay Fout/CI/USEPA/US on 01/04/2016 09:12 AM -----

From: "Li, Charles" <cli@EMSL.com>
To: Shay Fout/CI/USEPA/US@EPA,
Date: 12/13/2012 02:15 PM
Subject: RE: Water Cluster Project Update

Thanks for updating, Dr. Fout!

Happy Holiday to You!

Charlie

Charles Li, Ph.D. | *Director of PCR and DNA Analysis Laboratory*

EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077

Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675

Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:

[LABConnect](#) | [Order Products](#) | [Client Corner](#) | [Training](#) | [Additional Resources](#)

Connect With Us:    

"This email may contain privileged and confidential information and is solely for the use of the sender's intended recipient(s). **If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited.** If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you."

From: Fout.Shay@epamail.epa.gov [<mailto:Fout.Shay@epamail.epa.gov>]

Sent: Thursday, December 13, 2012 2:13 PM

To: Li, Charles; Dave.Wilson@cincinnati-oh.gov; jeismeier@millcreekwatershed.org; sackenheima@butlercountyohio.org; slavenb@ci.hamilton.oh.us; Tim.DeHart@aaawastewater.com; Ting.Lu@cincinnati-oh.gov

Subject: Water Cluster Project Update

Method 1615 Water Cluster Project Partners,

I want to apologize for the long delay in communication. I had hoped to start the project in October, but we have not been able to obtain the necessary supplies for the project. These were delayed first to the need to reprogram funds and now due to errors in our procurement group in establishing blanket purchase accounts (BPAs). We also had a longer than expected delay in getting the quality assurance project plan approved by my QA Manager. As it stands now, I hope to start next month with collecting samples from the AAA Wastewater, Butler, Hamilton, and Sycamore plants, but this can only occur if we get the BPAs in place. Please let me know if you have any questions or concerns. Thanks,

Shay

G. Shay Fout, Ph.D.
Senior Research Microbiologist
Microbiological and Chemical Exposure
Assessment Research Division (MS-593)
National Exposure Research Laboratory
Office of Research and Development
U.S. Environmental Protection Agency
26 W. Martin Luther King Jr. Drive
Cincinnati, OH 45268
Telephone: (513) 569-7387
Fax: (513) 569-7464

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg
which may be a computer program. This attached computer program could
contain a computer virus which could cause harm to EPA's computers,
network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced
into the EPA network. EPA is deleting all computer program attachments
sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you
should contact the sender and request that they rename the file name
extension and resend the Email with the renamed attachment. After
receiving the revised Email, containing the renamed attachment, you can
rename the file extension to its correct name.

For further information, please contact the EPA Call Center at
(866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****